SOLID-STATE ELECTRONICS

AN INTERNATIONAL JOURNAL

List of Contents and Author Index
Volume 36, 1993

PERGAMON PRESS

OXFORD · NEW YORK · SEOUL · TOKYO

SOLID-STATE ELECTRONICS

EDITORS

DR W. CRAWFORD DUNLAP (Editor-in-Chief)
126 Prince Street, West Newton, MA 02165, U.S.A., Fax: 617-244-1037

PROFESSOR S. K. GHANDHI (Associate Editor)
Electrical, Computer and Systems Engineering Department, Rensselaer School of Engineering, Troy, NY 12180, U.S.A.

R. W. BRANDER
High Trees, Bucklesham Road, Foxhall, Ipswich, Suffolk IP10 0AA, U.K.

DR F. M. KLAASSEN
Philips Research Laboratories, Eindhoven, The Netherlands

HONORARY EDITORIAL ADVISORY BOARD

R. H. BUBE, *Stanford, CA*
C. BULUCEA, *Santa Clara, CA*
U. BÜRKER, *Munich*
T. Y. CHIU, *Murrey Hill, NJ*
L. F. EASTMAN, *Ithaca, NY*
D. K. FERRY, *Tempe, AZ*
J. G. FOSSUM, *Gainesville, FL*
G. I. HADDAD, *Ann Arbor, MI*
R. HECKINGBOTTOM, *Ipswich*
H. K. HENISCH, *University Park, PA*
A. K. JONSCHER, *Egham Hill*
R. W. KNEPPER, *East Fishkill, NY*
A. G. MILNES, *Pittsburgh, PA*
B. R. NAG, *Calcutta*
H. C. NATHANSON, *Pittsburgh, PA*
A. NUSSBAUM, *Minneapolis, MN*
W. G. OLDHAM, *Berkeley, CA*
J. I. PANKOVE, *Boulder, CO*
J. E. PARROTT, *Cardiff*
R. F. PIERRET, *W. Lafayette, IN*
G. J. REES, *Sheffield*
B. RIDLEY, *Colchester*
H. ROTH, *Hanscom, MA*
D. J. ROULSTON, *Waterloo, Ont.*
C. A. T. SALAMA, *Toronto, Ont.*
R. STRATTON, *Dallas, TX*
R. VAN OVERSTRAETEN, *Leuven*
C. J. VARKER, *Scottsdale, AZ*
C.-Y. WU, *Hsinchu, R.O.C.*

Publishing Office
Pergamon Press Ltd, Pergamon House, Bampfylde Street, Exeter EX1 2AH, England
(*Tel.* Exeter (0392) 51558; *Fax* (0392) 425370).
Production Editor: ALISON J. HOEY

Subscription and Advertising Offices
North America: Pergamon Press Inc., 660 White Plains Road, Tarrytown, NY 10591-5153, U.S.A.
Rest of the World: Pergamon Press Ltd, Headington Hill Hall, Oxford OX3 0BW, England
(*Tel.* Oxford (0865) 794141).

Subscription Rates
Annual Institutional Subscription Rates 1994: North, Central and South America, U.S.$1025.00; Rest of World, £667.00. Associated Personal Subscription Rates are available on request for those whose institutions are library subscribers. Sterling prices exclude VAT. Non-VAT registered customers in the European Community will be charged the appropriate VAT in addition to the price listed. Prices include postage and insurance and are subject to change without notice.

Back Issues
Back issues of all previously published volumes, in both hard copy and on microform are available direct from Pergamon Press offices.

Published monthly. Copyright © 1993 Pergamon Press Ltd

Second class postage paid at RAHWAY NJ. Postmaster send address corrections to *Solid-State Electronics*, Pergamon Press Inc., 660 White Plains Road, Tarrytown, NY 10591-5153, U.S.A.

LIST OF CONTENTS

NUMBER 1

S. C. CHOO, M. S. LEONG and Y. T. LEE: Spreading resistance analysis based on the method of regularisation 1

G. ASHKINAZI, TZ. HADAS, B. MEYLER, M. NATHAN, L. ZOLOTAREVSKI and O. ZOLOTAREVSKI: Nickel–gallium arsenide high-voltage power Schottky diodes 13

A. SCHENK: Rigorous theory and simplified model of the band-to-band tunneling in silicon 19

M. CHOI and D. E. BURK: The peripheral bipolar junction transistor and its relation to predictability in device modeling 35

EDMUNDO A. GUTIÉRREZ D., LUDO DEFERM and GILBERT DECLERCK: Selfheating effects in silicon resistors operated at cryogenic ambient temperatures 41

DAVID R. GREENBERG and JESÚS A. DEL ALAMO: The impact of electron transport regimes on the linearity of AlGaAs/n^+-InGaAs HFETs 53

S. V. AVERIN, A. KOHL, R. MÜLLER, J. WISSER and K. HEIME: Quasi-Schottky barrier MSM-diode on n-$Ga_{0.47}In_{0.53}As$ using a depleted p^+-$Ga_{0.47}In_{0.53}As$ layer grown by LP-MOVPE 61

J. KOTHE and W. VON MÜNCH: Properties of a new U.V.-sensitive CCD detector array 69

YUNG-SONG LOU, CHING-YUAN WU and HUANG-CHUNG CHENG: A new oxidation-resistant $CoSi_2$ process for self-aligned silicidation (SALICIDE) technology 75

K. H. LOU, C. M. LIU and J. B. KUO: Analysis of the quasi-saturation behavior considering the drain-to-source voltage and cell-spacing effects for a vertical DMOS power transistor 85

AVINASHI KAPOOR, R. M. MEHRA and P. C. MATHUR: Effect of p–n coupling on reverse recovery transient of a homojunction solar cell 93

P. PEYKOV, J. CARRILLO and M. ACEVES: Triangular-voltage sweep C–V method for determination of generation lifetime and surface generation velocity 99

Notes

A. R. BATCHELOR: Simple expression for the *effective* electron relaxation time in n-GaAs 103

I. HIRSCH, E. BERMAN and N. HAIK: Thermal resistance evaluation in 3-D thermal simulation of MOSFET transistors 106

KUNIHIRO SUZUKI: Analytical base transit time model of uniformly-doped-base bipolar transistors for high-injection regions 109

O. M. BULASHENKO, O. V. KOCHELAP and V. A. KOCHELAP: Noise redistribution in thin films due to electron scattering at the boundaries 111

Letter to the Editor
FERENC RIESZ: Comments on "Surface potential transients of ultrathin SiO_2–Si structures" 115

Reply
J. MIZSEI: Reply to "Comments on 'Surface potential transients of ultrathin SiO_2–Si structures' " 117

SOFTWARE SURVEY SECTION I

NUMBER 2

A. AVILA G.: Use of finite gate widths in multipoint correlation methods for DLTS characterization of semiconductors 119

WILLIAM LIU and BURHAN BAYRAKTAROGLU: Theoretical calculations of temperature and current profiles in multi-finger heterojunction bipolar transistors 125

ANDERS HALLÉN, MIETEK BAKOWSKI and MÅNS LUNDQVIST: Multiple proton energy irradiation for improved GTO thyristors 133

BORIS GELMONT and MICHAEL SHUR: Spreading resistance of a round ohmic contact ... 143

Z. Q. SHI, W. A. ANDERSON, L. P. FU and A. PETROU: Metal/*n*-InP interfaces studied by photoreflectance and Raman spectroscopies 147

T. OTAREDIAN: Separate contactless measurement of the bulk lifetime and the surface recombination velocity by the harmonic optical generation of the excess carriers 153

T. OTAREDIAN: Analysis of microwave scattering from semiconductor wafers 163

L. HE and W. A. ANDERSON: Effects of oxygen implantation in GaAs 173

HON-SUM WONG: "Universal" effective mobility of empirical local mobility models for *n*- and *p*-channel silicon MOSFETs 179

SHENG-LYANG JANG and JIM-YAT WU: Low-frequency current and intensity noise in AlGaAs laser diodes 189

CHEN-CHIH HUANG and HAO-HSIUNG LIN: High current gain AlGaAs/GaAs heterojunction bipolar transistor grown by molecular beam epitaxy 197

NANDITA DASGUPTA and AMITAVA DASGUPTA: An analytical expression for sheet carrier concentration vs gate voltage for HEMT modelling 201

J. L. FARVACQUE and P. FRANÇOIS: Strain fields due to differential dilatation at metal/semiconductor contacts and resulting piezoelectrical fields in GaAs 205

SHENG-LYANG JANG: On the common-emitter breakdown voltage of bipolar junction transistors 213

MICHELE GOANO: Series expansion of the Fermi–Dirac integral $\mathscr{F}_j(x)$ over the entire domain of real j and x 217

JONG S. CHOI, GEROLD W. NEUDECK and SHENGWEN LUAN: A computer model for inter-electrode capacitance–voltage characteristics of an a-Si:H TFT 223

N. SENGOUGA and B. K. JONES: Modeling the transient response of channel–substrate interface traps to gate voltage steps in GaAs FETs..... 229

M. A. ABDALA and B. K. JONES: Low frequency oscillations in GaAs MESFETs 237

ACHYUT KUMAR DUTTA: Removal of native oxide from silicon surfaces of a-SiN_x/Si devices using high pressure hydrogen plasma..... 247

LUCA VARANI, TILMANN KUHN, LINO REGGIANI and YVES PERLÈS: Current and number fluctuations in submicron n^+nn^+ structures 251

MUHAMMAD A. ALAM, MARK A. STETTLER and M. S. LUNDSTROM: Formulation of the Boltzmann equation in terms of scattering matrices 263

T. DOSLUOGLU, R. GUDIMETLA and R. SOLANKI: Generalized steady state diode equation: the state equations approach..... 273

XIN LI, T. L. TANSLEY and V. W. L. CHIN: Energy distribution of interface state density in AlN/*n*-GaAs heterostructures formed by laser chemical vapor deposition..... 279

V. CHANDRAMOULI and C. M. MAZIAR: Monte Carlo analysis of band structure influence on impact ionization in InP 285

Notes

SHENG-LYANG JANG: Current–voltage characteristics of Si bipolar junction transistors operating in the cut-off mode..... 291

FERENC RIESZ: Normalized expression of the frequency response of *p–i–n* avalanche photodiodes..... 293

W. Y. ZHOU, J. XU, Y. B. LIOU and C. HUANG: Investigation of the uniformity of ohmic contacts to *N*-type GaAs formed by rapid thermal processing..... 295

JIAN-YANG LIN, PING-CHUNG TIEN and HEUY-LIANG HWANG: Dynamic simulation of electron trapping and device lifetime of LDD*n*MOSFET..... 297

SOFTWARE SURVEY SECTION I

NUMBER 3

Review

S. IANNAZZO: A survey of the present status of vacuum microelectronics..... 301

KYOUNGHOON YANG, JACK R. EAST and GEORGE I. HADDAD: Numerical modeling of abrupt heterojunctions using a thermionic-field emission boundary condition 321

UMA JAIN, S. C. JAIN, J. NIJS, J. R. WILLIS, R. BULLOUGH, R. P. MERTENS and R. VAN OVERSTRAETEN: Calculation of critical-layer-thickness and strain relaxation in Ge_xSi_{1-x} strained layers with interacting 60 and 90° dislocations..... 331

DANG TRAN QUAN and H. HBIB: High barrier height Au/*n*-type InP Schottky contacts with a $PO_xN_yH_z$ interfacial layer 339

K. K. CHAN, G. A. J. AMARATUNGA, S. P. WONG and V. S. VEERASAMY: Capacitance–voltage characteristics of a metal–carbon–silicon structure 345

JAMES W. ROBERTS and SAVVAS G. CHAMBERLAIN: An experimental procedure for measuring silicon lattice heating due to hot carriers in MOSFETs 351

QIN HUANG and GEHAN A. J. AMARATUNGA: Thyristor turn off using MOS controlled current interruption 361

B. R. NAG: Characteristics of InAs/Al_xGa_{1-x}Sb/InAs tunnel diodes 373

XIN LI, T. L. TANSLEY, K. S. A. BUTCHER and D. ALEXIEV: Characterization of AlN/*n*-GaAs heterointerfaces determined by energy-resolved correlation DLTS 381

G. S. LEE, P. E. THOMPSON, J. L. DAVIS, J. P. OMAGGIO and W. A. SCHMIDT: Characterization of molecular beam epitaxially grown InSb layers and diode structures 387

J. M. MCGREGOR, D. J. ROULSTON, J. S. HAMEL, M. VAIDYANATHAN, S. C. JAIN and P. BALK: A simple expression for ECL propagation delay including non-quasi-static effects 391

NICCOLÓ RINALDI: Modeling two-dimensional effects on base and collector currents in narrow-emitter self-aligned bipolar transistors 397

SEBASTIAN BORRELLO and ZEYNEP ÇELIK-BUTLER: A $1/f$ noise model based on fluctuating defect states 407

QI LIN, NEIL GOLDSMAN and GWO-CHUNG TAI: A globally convergent method for solving the energy balance equation in device simulation 411

S. R. DHARIWAL and R. C. SHARMA: Modified differential open-circuit-voltage decay method for lifetime measurement in *p–n* junctions 421

J. KUZMIK, T. LALINSKY and P. SEIDL: Co-implantation of Mg and Si in GaAs MESFETs 427

L. PAPADIMITRIOU: DLTS evaluation of nonexponential transients of defect levels in cuprous oxide (Cu_2O) 431

C. C. MENG and H. R. FETTERMAN: A theoretical analysis of millimeter-wave GaAs/AlGaAs multiquantum well transit time devices by the lucky drift model 435

YU-KUN FENG: An approach to determine the small signal equivalent circuit of sub-μm GaAs MESFETs including effects of nonstationary electron dynamics 443

B. MAZHARI and H. MORKOÇ: Minority charge storage characteristics of HBTs in saturation 455

N. I. PHILATOV, D. G. YAKOVLEV and B. O. NAKROPIN: A system of mixed device-circuit modeling for personal computers 463

CHING-HO CHENG and CHARLES SURYA: The effect of hot-electron injection on the properties of flicker noise in *N*-channel MOSFETs 475

Notes
G. GEORGE and J. R. HAUSER: Improved analytic MODFET charge-control model 481

P. A. FOLKES: Voltage dependence of trap-generated $1/f$ noise in MESFETs 483

SOFTWARE SURVEY SECTION I

NUMBER 4

H. R. CHEN, C. Y. CHANG, K. L. TSAI, J. S. TSANG and C. P. LEE: Novel AlGaAs/GaAs heterojunction bipolar transistors fabricated by two-stage molecular beam epitaxy 485

CONSTANTIN BULUCEA: Recalculation of Irvin's resistivity curves for diffused layers in silicon using updated bulk resistivity data 489

WILLIAM LIU: Comparison of heterojunction bipolar transistors in stripe and dot geometries 495

S. L. CHEN, JENG GONG and S. H. YANG: Dynamic device degradation during hot-carrier stress in DDD n-MOSFETs 501

K. Y. TONG and EMIL V. JELENKOVIC: Current characteristics of polycrystalline thin-film transistors using sputtered silicon films 513

A. SRIVASTAVA: Analytical modeling of MOSFET conductance parameters at cryogenic temperatures 519

E. SIMOEN and C. CLAEYS: Hot-carrier degradation of nMOSTs stressed at 4.2 K 527

H. C. LU, H. R. FETTERMAN, C. J. CHEN, C. HSU and T. M. CHEN: Growth and characterization of MBE-grown thin films of InSb on Si 533

MING-JER CHEN and JENG-KUO JENG: A study of latch-up hysteresis in n-well CMOS by means of I–V characteristics and photoemission techniques 539

XIAOQI DONG and M. EL NOKALI: Two-dimensional computer analysis of GaAs MESFETs 547

E. F. CHOR and L. S. TAN: Analytical and numerical studies of the dependence of high frequency performance on the use of a polysilicon emitter in bipolar transistors 553

JEFFREY W. WATERS and KUNIHIRO SUZUKI: A d.c. intrinsic base resistance model considering resistivity modulation for arbitrarily doped transistors 563

P. SMEYS and J. P. COLINGE: Analysis of drain breakdown voltage in enhancement-mode SOI MOSFETs 569

A. GNUDI, D. VENTURA, G. BACCARANI and F. ODEH: Two-dimensional MOSFET simulation by means of a multidimensional spherical harmonics expansion of the Boltzmann transport equation 575

BING-YUE TSUI and MAO-CHIEH CHEN: Dielectric degradation of $Pt/SiO_2/Si$ structures during thermal annealing 583

G. FOURNET and J. P. KLEIDER: Study of the electrostatic potential in a finite semiconductor layer at equilibrium 595

P. CHATTOPADHYAY and B. RAYCHAUDHURI: Frequency dependence of forward capacitance–voltage characteristics of Schottky barrier diodes 605

C.-L. HUANG and G. SH. GILDENBLAT: Correction factor in the split C–V method for mobility measurements 611

SHENG-LYANG JANG and FONG-CHIN LIU: Temperature dependence of base-current reversals and breakdown characteristics of n–p–n transistors 617

SAŠA SOKOLIĆ, DEJAN KRIŽAJ and SLAVKO AMON: Lumped series resistance of solar cells as a result of distributed sheet resistance 623

A. ORTIZ-CONDE, F. J. GARCÍA SÁNCHEZ, P. E. SCHMIDT, J. ANDRIAN and E. PARIS: Transconductances of the long-channel silicon-on-insulator MOSFET 631

A. NAIMI, J. BOUCHER and D. ANDREU: New SPICE model of total base resistance in bipolar transistors 639

M. S. OBRECHT: A new stable method for linearization of discretized basic semiconductor equations 643

Notes

A. Y. POLYAKOV, A. G. MILNES, S. J. EGLASH, M. YE and A. E. BOCHKAREV: Band offsets in GaSb/AlGaAsSb: correlation with the Schottky barrier height and the depth of native acceptors 649

T. C. LU and J. B. KUO: The influence of low-temperature BJT current gain and forward transit time on the switching behavior in an ECL circuit operating at 77 K 652

J. J. LIOU and A. KAGER: Effects of minority-carrier ballistic transport on the collector current of submicron BJT's 655

J. S. YUAN: Base pushout effect on collector signal delay and Early voltage for heterojunction bipolar transistors 657

MANOJ K. KHANNA, S. HALDAR, MANEESHA, RACHNA SOOD and R. S. GUPTA: Substrate-bias-dependent threshold-voltage model of short-channel MOSFET 661

HYUNSANG HWANG, JACK LEE, PIERRE FAZAN and CHUCK DENNISON: Hot-carrier reliability characteristics of narrow-width MOSFETs 665

K. G. GRIGOROV: A phenomenological model of γ-irradiated MOSFETs 667

ZONG-XIN WANG and YOU-LING CHU: Measurement of minority-carrier diffusion length and composition of $Al_xGa_{1-x}As$ alloys by a microwave contactless method 669

SOFTWARE SURVEY SECTION I

NUMBER 5

Review

ROBERT D. LARRABEE and MICHAEL T. POSTEK: Precision, accuracy, uncertainty and traceability and their application to submicrometer dimensional metrology 673

P. C. YANG and SHENG S. LI: Analysis of current–voltage characteristics of fully depleted SOI MOSFETs 685

J. J. LIOU and A. ZAJAC: Calculation of the collector signal delay time of HBT's based on a piecewise-linear velocity profile 693

A. ABBATE, K. J. HAN, I. V. OSTROVSKII and P. DAS: Acousto-electric deep-level transient spectroscopy in semiconductors 697

P. C. CHEN, J. Y. LIN and H. L. HWANG: A study of titanium silicide formation by multiple arsenic-ion-implantation 705

P. DOLLFUS and P. HESTO: Monte Carlo study of a 50 nm-dual-gate HEMT providing against short-channel effects 711

J. B. KUO and J. H. SIM: The delayed-turn-on behavior in the accumulation-type SOI PMOS device operating at 77 K 717

R. M. PATRIKAR, R. LAL and J. VASI: Power law model for positive charge build-up in silicon dioxide due to high-field stressing 723

SHENG-LYANG JANG, YOUNG-SHYING CHEN and PING-CHEN CHANG: Optical effects on the current–voltage characteristics of lightly doped drain silicon MOSFETs 727

SUNG-KYE PARK and CHOONG-KI KIM: Determination of doping concentration and interface charges for thin film SOI MOSFETs 735

H. HADDARA, S. BASSIOUNI and H. F. RAGAIE: Analysis and simulation of the frequency response of MOSFETs with uniform and/or local oxide degradation 741

HYUNSANG HWANG, MING-YIN HAO, JACK LEE, VIJU MATHEWS, PIERRE C. FAZAN and CHUCK DENNISON: Furnace N_2O oxidation process for submicron MOSFET device applications 749

A. S. VERCAEMST, R. L. VAN MEIRHAEGHE, W. H. LAFLÈRE, F. CARDON, W. DE BOSSCHER and R. J. SCHREUTELKAMP: On the influence of sputter etch cleaning on the silicidation, the thermal stability and the electrical characteristics of Ti/p–Si contacts 753

M. HEUKEN, L. HÖPKEN and B. OPITZ: Characterization of MOVPE grown ZnSe on GaAs using Schottky-diodes 761

Z. C. HUANG and C. R. WIE: Current–voltage characteristics of lattice-mismatched GaInAs(n^+)/GaAs(p) diodes including thermal annealing effects 767

K. INIEWSKI, S. VOINIGESCU, J. ATCHA and C. A. T. SALAMA: Analytical modeling of threshold voltages in p-channel Si/SiGe/Si MOS structures 775

A. COLA, M. G. LUPO, L. VASANELLI and A. VALENTINI: Characterization of a defect layer at a Schottky barrier interface by current and capacitance measurements 785

Notes

G. GILDENBLAT, S. A. GROT and C. W. HATFIELD: Simple model of diamond depletion-type MOSFET 792

J. B. KUO and J. H. SIM: Accumulation-type vs inversion-type ultra-thin SOI *P*MOS devices operating at 300 and 77 K: subthreshold behavior and pull-up switching performance of a CMOS inverter 793

L. CHEN, S. PENNARTHUR and H. L. KWOK: Effects of the clock voltage waveforms on the charge transfer inefficiency of high-speed charge-coupled devices 798

P. C. YANG and SHENG S. LI: Interface characterization of fully depleted SOI MOSFETs by a threshold-voltage method 801

SOFTWARE SURVEY SECTION I

NUMBER 6

W. CRAWFORD DUNLAP: Editorial Announcement iii

Review
A. G. MILNES and A. Y. POLYAKOV: Gallium antimonide device related properties..... 803

J. J. LIOU, C.-S. HO, L. L. LIOU and C. I. HUANG: An analytical model for current transport in AlGaAs/GaAs abrupt HBTs with a setback layer 819

J. A. MARTINO, E. SIMOEN, U. MAGNUSSON, A. L. P. ROTONDARO and C. CLAEYS: Simple method for the determination of the interface trap density at 77 K in fully depleted accumulation mode SOI MOSFETs..... 827

SHIUH-LUEN WANG, NEIL GOLDSMAN, QI LIN and JEFFREY FREY: RELY: a physics-based CAD tool for predicting time-dependent hot-electron-induced degradation in MOSFET's 833

W. MAGNUS: Intervalley scattering in the quasi-two-dimensional-electron gas of a $\langle 100 \rangle$ p-Si inversion layer 843

S. TROTT, V. NAKOV, G. GOBSCH and R. GOLDHAHN: Modelling of the electronic structure for an AlGaAs/GaAs/AlGaAs HFET with a δ-doping layer inside the quantum well 851

F. J. MUSTIELES and F. DELAURENS: Numerical simulation of non-homogeneous submicron semiconductor devices by a deterministic particle method..... 857

KENNETH A. HENNACY and NEIL GOLDSMAN: A generalized Legendre polynomial/sparse matrix approach for determining the distribution function in non-polar semiconductors 869

C. BARRET and H. MAAREF: Study of cleaved metal–InP (n) contacts 879

WILLIAM LIU: Emitter-length design for microwave power heterojunction bipolar transistors 885

M. B. ŽIVANOV and M. JEVTIĆ: Majority carrier mobility in ultra heavily doped n-type Si in the presence of defects and dislocations..... 891

SHENG-LYANG JANG: Analytical low-frequency $1/f$ noise model for lightly-doped-drain MOSFETs operating in the linear region 899

T. OTAREDIAN: The influence of the surface and oxide charge on the surface recombination process..... 905

J. B. KUO and T. C. LU: A fully analytical low-temperature forward-transit-time model for bipolar devices operating at 77 K 917

YU ZHU, SUSUMU NODA and AKIO SASAKI: AlGaAs heterojunction phototransistor with spectral-response controllability 923

BÉKEYI SOGOYOU, FRÉDÉRIC LALANDE and HERVÉ CARCHANO: Influence of sulfur concentration on the current–voltage characteristics of Au/$GaAs_{(1-x)}S_x$/Mo structures 927

Notes

P. T. NGUYEN, S. S. YAO and K. SESHAN: Low temperature R_{db} measurements and simulations for Si *npn* transistors 933

N. C. DAS and V. NATHAN: Two types of interface traps induced by hot-carrier stressing in MOSFETs 936

SOFTWARE SURVEY SECTION I

NUMBER 7

P. C. YANG and SHENG S. LI: Numerical analysis of small-signal characteristics of a fully depleted SOI MOSFET 939

KATHY L. KASLEY, GERALD M. OLESZEK and RICHARD L. ANDERSON: Investigation of the kink and hysteresis from 13 K to 30 K in *N*-channel CMOS transistors with a floating well 945

T. P. CHEN, T. C. LEE, C. C. LING, C. D. BELING and S. FUNG: Current transport and its effect on the determination of the Schottky-barrier height in a typical system: gold on silicon 949

SHUBNEESH BATRA, KYLE PICONE, KEUN HYUNG PARK, SURYANARAYANA BHATTACHARYA, SANJAY BANERJEE, JACK LEE, MONTE MANNING and CHUCK DENNISON: Study of lateral non-uniformity as a function of junction depth in ultra-shallow junctions and its effect on leakage behavior in as-deposited polycrystalline Si and amorphous Si diodes 955

KAUSHIK BHAUMIK and YOSEF SHACHAM-DIAMAND: Semi-analytical model for charge control in SiGe quantum well MOS structures 961

MIROSLAV BARUS and DANIEL DONOVAL: Analysis of I–V measurements on $CrSi_2$–Si Schottky structures in a wide temperature range 969

H. JORKE: Injection current in a planar doped base Si bipolar junction transistor 975

FRÉDÉRIC LALANDE, HERVÉ CARCHANO and BÉKEYI SOGOYOU: Photoelectrical properties of Au/$GaAs_{(1-x)}S_x$/Mo structures as a function of sulfur concentration 981

SAJAL K. PAUL and P. K. BASU: Use of empirically deduced composition and temperature dependent intrinsic carrier density in $Si_{1-x}Ge_x$, $In_{1-x}Ga_xAs$ and $In_{1-x}Ga_xAs_yP_{1-y}$ in calculating minimum capacitance in C–V plot of MIS structure 985

S. C. CHOO, L. S. TAN and H. H. SEE: Theory of surface photovoltage in a semiconductor with deep impurities 989

C. C. C. LEUNG and P. A. CHILDS: Spatially transient hot electron distributions in silicon determined from the Chambers path integral solution of the Boltzmann transport equation 1001

SHENG-LYANG JANG and PING-CHEN CHANG: Low-frequency noise characteristics of lightly-doped-drain MOSFETs 1007

R. GOPAL and S. AHMAD: On the carrier removal phenomenon in silicon after proton irradiation 1011

R. K. CHANANA, R. DWIVEDI and S. K. SRIVASTAVA: Effect of annealing and plasma precleaning on the electrical properties of N_2O/SiH_4 PECVD oxide as gate material in MOSFETs and CCDs 1021

JEFFREY C.-N. HUANG and IBRAHIM M. ABDEL-MOTALEB: Small-signal non-quasi-static model for single and double heterojunction bipolar transistors 1027

A. KOLDEHOFF, M. SCHRÖTER and H.-M. REIN: A compact bipolar transistor model for very-high-frequency applications with special regard to narrow emitter stripes and high current densities 1035

L. B. CHANG and L. Z. SHAI: Fabrication methods for an AlGaAs/InGaP/AlGaAs visible laser with transverse junction stripe structure grown by liquid phase epitaxy 1049

V. GRUŽINSKIS, E. STARIKOV and P. SHIKTOROV: Conservation equations for hot carriers—I. Transport models 1055

V. GRUŽINSKIS, E. STARIKOV and P. SHIKTOROV: Conservation equations for hot carriers—II. Dynamic features 1067

W. R. BUCHWALD, J. H. ZHAO, M. HARMATZ and E. H. POINDEXTER: Electron and hole traps in heavily compensated InGaAs/GaAs heterostructures 1077

Note

ROBERTO MENOZZI, PAOLO COVA and LUCA SELMI: Experimental application of a novel technique to extract gate bias dependent source and drain parasitic resistances of GaAs MESFETs 1083

SOFTWARE SURVEY SECTION: SUBHET I

NUMBER 8

Y. TAUR, C. H. HSU, B. WU, R. KIEHL, B. DAVARI and G. SHAHIDI: Saturation transconductance of deep-submicron-channel MOSFETs 1085

WEI-CHOU HSU, DER-FENG GUO, WEN-CHAU LIU and WEN-SHIUNG LOUR: A tristate switching device with double delta-doped quantum well structure 1089

SIK ON KONG and CHEE YEE KWOK: A study of trapezoidal programming waveform for the FLOTOX EEPROM 1093

CHENG-MING CHIU, MENG-CHYI WU and CHUNG-CHI CHANG: Photoluminescence of undoped and Er-doped 1.1-μm InGaAsP layers grown by liquid-phase epitaxy 1101

V. W. L. CHIN, M. A. GREEN and J. W. V. STOREY: Current transport mechanisms studied by I–V–T and IR photoemission measurements on a p-doped PtSi Schottky diode.... 1107

H. M. SHIEH, W. C. HSU, M. J. KAO, C. L. WU and T. S. WU: A new δ-doped InGaAs/GaAs pseudomorphic high electron mobility transistor utilizing a strained superlattice spacer 1117

ANDREW K. JONSCHER: Dielectric response of P–N junctions 1121

A. JAKUBOWSKI and L. ŁUKASIAK: The influence of bandgap narrowing on the I–V characteristics of a MOSFET 1129

S. R. IN'T HOUT: Minority carrier accumulation at high–low junctions 1135

R. T. HSU, H. M. SHIEH, W. C. HSU and T. S. WU: Enhanced current driving capability GaAs/graded $In_xGa_{1-x}As$/GaAs high electron mobility transistor 1143

I. G. HWANG and D. K. SCHRODER: Effect of wafer stress on surface photovoltage diffusion length measurements 1147

M. Q. HUANG, P. T. LAI, Z. J. MA, H. WONG and Y. C. CHENG: Deep-depletion-layer impact-ionization-induced gate-oxide breakdown in thin-oxide n-MOSFETs 1155

S. S. WINTERTON, C. J. PETERS and N. G. TARR: Composition grading for base transit time minimization in SiGe-base heterojunction bipolar transistors 1161

S. R. DHARIWAL and B. M. DEORAJ: Contribution of bulk states to the depletion layer admittance 1165

JOHN STARR HAMEL and DAVID J. ROULSTON: Impact of the emitter and base diffusion capacitances on the a.c. behavior of bipolar transistors 1175

SHYH-CHYI WONG and HUNG C. LIN: An analytic model for punchthrough-implanted MOSFETs in strong inversion 1183

J. WENG: A physical model of the transit time in bipolar transistors 1197

RANBIR SINGH and B. J. BALIGA: Analysis and optimization of power MOSFETs for cryogenic operation 1203

Notes

P. SMEYS, U. MAGNUSSON and J. P. COLINGE: Non-destructive characterisation of SOI wafers using spectroscopic reflectometry 1213

J. J. LIOU, L. L. LIOU, C. I. HUANG and B. BAYRAKTAROGLU: Modeling the avalanche multiplication current of AlGaAs/GaAs heterojunction bipolar transistors 1217

J. J. LIOU, L. L. LIOU and C. I. HUANG: Kink effect on the base current of heterojunction bipolar transistors 1222

B. WILLÉN: Dynamic properties of an AlGaAs/GaAs double heterojunction thyristor 1225

SOFTWARE SURVEY SECTION: MOLGEO.FOR I

NUMBER 9

CHAO-HSING HUANG and HAO-HSIUNG LIN: Effect of two-dimensional electron gas on the d.c. characteristics of InAlAs/InGaAs double heterojunction bipolar transistors 1229

H. M. SHIEH, W. C. HSU and C. L. WU: Improved GaAs/$In_{0.25}Ga_{0.75}As$/GaAs pseudomorphic heterostructure by growing double δ-doping GaAs layers on both sides of the channel 1235

CONSTANTIN BULUCEA and MARK GRANT: Impurity profile extraction from semiconductor chips of cellular construction 1239

A. VETTER, S. J. KOVACIC, J. G. SIMMONS, J.-P. NOËL and D. C. HOUGHTON: Demonstration of a Si/SiGe optoelectronic reset–set flip-flop based on an inversion-channel heterostructure 1247

SUNG-HUN OH, AHMAD USMAN, JULIAN J. SANCHEZ and THOMAS A. DEMASSA: Threshold voltage model for narrow width MOSFETs 1251

J. S. YUAN: Switch-off transient analysis for heterojunction bipolar transistors in saturation 1261

ALEXIS DE VOS: Noise in diodes, rigorously deduced from first principles 1267

J. B. KUO, H. P. CHEN, B. Y. CHEN and T. C. LU: D.c. and transient analysis of a SiGe-base heterojunction bipolar device in an ECL buffer using a modified PISCES program 1273

NOBUHIKO SUSA and TATSUSHI NAKAHARA: Design of AlGaAs/GaAs quantum wells for electroabsorption modulators 1277

JING-RONG ZHOU, D. VASILESKA and DAVID K. FERRY: Modeling of β-SiC MESFETs using hydrodynamic equations 1289

DAVID THOMPSON, A. MCCOWEN and P. MAWBY: Electrical characterisation of a heterojunction field effect transistor photodetector (HFETPD) 1295

C. PAPADAS, G. GHIBAUDO, G. PANANAKAKIS and C. RIVA: Numerical transient simulation of the programming window degradation in FLOTOX EEPROM cells 1303

T. C. LU, H. P. CHEN and J. B. KUO: SiGe-base heterojunction bipolar transistors: an analytical current gain and forward transit time model 1313

MING-YIN HAO, HYUNSANG HWANG and JACK C. LEE: Silicon-implanted SiO_2 for nonvolatile memory applications 1321

G. KHRENOV, V. RYZHII and A. ZHAKHAROVA: Negative differential resistance of single barrier interband tunnelling diodes 1325

GEORGE V. MANDUTEANU: A power semiconductor diode with an integrated forward-current sensor 1335

V. ANINKEVIČIUS, V. BAREIKIS, J. LIBERIS, A. MATULIONIS and P. SAKALAS: Comparative analysis of microwave noise in GaAs and AlGaAs/GaAs channels 1339

S. R. VISHWAKARMA, RAHMATULLAH and H. C. PRASAD: Preparation of heterojunction solar cell 1345

Notes

J. B. KUO, M. C. TANG and J. H. SIM: An analytical threshold voltage model for SiGe-channel PMOS devices 1349

A. ACOVIC, C. C.-H. HSU, L. C. HSIA and J. M. AITKEN: Reduced hot-carrier reliability degradation of X-ray irradiated MOSFETs in a 0.25 μm CMOS technology with ultra-thin gate oxide 1353

HYUNGCHEOL SHIN and CHENMING HU: Plasma etching antenna effect on oxide–silicon interface reliability 1356

A. MALLIK, J. VASI and A. N. CHANDORKAR: A study of radiation effects on reoxidized nitrided oxide MOSFETs, including effects on mobility 1359

K. SATO, T. MATSUMOTO and S. NIEMCHAROEN: Current fluctuations due to locally distributed charge generation in semiconductor junctions: a theoretical study 1362

AWATAR SINGH, P. D. VYAS, W. S. KHOKLE, C. SINGH and K. LAL: Process and material properties of WSi_2 formed by discharge treatment 1365

A. D. SADOVNIKOV and D. J. ROULSTON: The effect of sidewall base injection on the a.c. base resistance of a bipolar transistor 1368

SOFTWARE SURVEY SECTION: SIMULAD-2 I

CALL FOR PAPERS V

NUMBER 10

A. Y. POLYAKOV, A. G. MILNES, N. B. SMIRNOV, L. V. DRUZHININA and I. V. TUNITSKAYA: Mechanisms of Fermi level pinning in Schottky barriers on InGaAsSb and AlGaAsSb 1371

F. Y. HUANG, T. C. SHEN and H. MORKOÇ: Quantum tunneling of electrons through superlattices in metal–semiconductor ohmic contacts 1375

R. VANKEMMEL, W. SCHOENMAKER and K. DE MEYER: A unified wide temperature range model for the energy gap, the effective carrier mass and intrinsic concentration in silicon 1379

BAO-WEI KANG and WEI ZHAO: Theoretical analysis of current gain of normally-off junction type field-effect transistor 1385

KUN-ZEN CHANG and CHING-YUAN WU: A novel PHL-emitter bipolar transistor—fabrication and characterization 1393

YIN HU and MARVIN H. WHITE: Charge retention in scaled SONOS nonvolatile semiconductor memory devices—modeling and characterization 1401

I. R. TAMM, P. DAWSON, A. SELLAI, M. A. PATE, R. GREY and G. HILL: Analysis of surface plasmon polariton enhancement in photodetection by Al–GaAs Schottky diodes 1417

SAMAR SAHA, CHUNE-SIN YEH and BHASKAR GADEPALLY: Impact ionization rate of electrons for accurate simulation of substrate current in submicron devices 1429

N. R. MIRCHINA and A. PELED: Time of flight analysis of electrical charge transport in insulating devices 1433

W. KRUPPA and J. B. BOOS: Low-frequency gain dispersion in ion-implanted InP JFETs 1445

SHWU-JING CHANG and CHIEN-PING LEE: Numerical simulation of the suppression of sidegating effects in GaAs MESFETS by ion bombardment 1455

A. L. P. ROTONDARO, U. MAGNUSSON, E. SIMOEN and C. CLAEYS: A consistent experimental method for the extraction of the threshold voltage of SOI *n*MOSFETs from room down to cryogenic temperatures 1465

H. WONG and Y. C. CHENG: Modeling of hot-electron-induced characteristic degradations for *n*-channel MOSFETs 1469

ANDRZEJ M. ZAKLIKIEWICZ: Electrical $1/f$ noise related to carrier transport 1477

J. J. LIOU: Optimization of AlGaAs/GaAs heterojunction bipolar transistors for current gain, cutoff frequency and maximum frequency 1481

W. QUADE, E. SCHÖLL and M. RUDAN: Impact ionization within the hydrodynamic approach to semiconductor transport 1493

Note

DONALD P. BUTLER, ZEYNEP ÇELIK-BUTLER and JIANGLIN WANG: Two-level noise switching in $YBa_2Cu_3O_7$ microbridges 1507

SOFTWARE SURVEY SECTION I

NUMBER 11

HYEK H. CHOI and THOMAS A. DEMASSA: A closed-form model for electrostatic discharge thermal runaway in semiconductor devices 1511

XIAOSONG LI and L. K. J. VANDAMME: An explanation of $1/f$ noise in LDD MOSFETs from the ohmic region to saturation 1515

Z. X. YAN and M. J. DEEN: New BiCMOS delay model to include R_c-limited BJT saturation effect 1523

CHR. JUNGEMANN, A. EMUNDS and W. L. ENGL: Simulation of linear and nonlinear electron transport in homogeneous silicon inversion layers 1529

SHENG-LYANG JANG: Formulation of mobility fluctuation $1/f$ noise in bipolar junction transistors 1541

R. KAMOUA, H. EISELE and G. I. HADDAD: D-band (110–170 GHz) InP Gunn devices 1547

M. J. Deen and Z. P. Zuo: A physical model for the edge effects in narrow-width MOSFETs 1557

Kie Young Lee, H. S. Min and Y. J. Park: Estimation of noise power spectral densities from the Monte-Carlo simulated terminal currents in semiconductor devices 1563

M. Karlsteen and M. Willander: The total switch time of silicon bipolar transistors with base doping gradients or with germanium gradients in the base 1571

P. Konijn, T. G. van de Roer and F. P. Widdershoven: An efficient Monte Carlo device simulation code based on rigorous application of internal scattering 1579

Jeffrey C.-N. Huang and Ibrahim M. Abdel-Motaleb: A comprehensive non-quasi-static capacitance model for graded heterojunction bipolar transistors 1583

E. Simoen, U. Magnusson, J. Vermeiren and C. Claeys: Back-gate induced random telegraph signal noise in fully-depleted silicon-on-insulator *n*MOSFETs 1593

P. J. McNally, J. J. Rosenberg, T. N. Jackson and J. C. Ramirez: Modelling and experimental analysis of the impact of process induced stress on the electrical performance of GaAs MESFETs 1597

F. Jain, M. Gokhale, S. K. Islam and C. L. Chung: Analysis of self-aligned MOSFETs with modulation-doped SiGe channels 1613

M. Rezwan Khan and Raqibul Mustafa: Calculation of the wave functions in the space charge region of a double-barrier resonant tunneling diode, with applications ... 1619

J. Zavadil and K. Žďánský: Double peak spectra in spontaneous edge electroluminescence 1623

Notes

E. K. Evangelou, L. Papadimitriou, C. A. Dimitriades and G. E. Giakoumakis: Extraction of Schottky diode (and p–n junction) parameters from I–V characteristics 1633

Jiang Zheng, Liuxing Huang, Juncheng Cao, Jing Wu and Tongli Wei: Analysis of the effective doping distribution in the emitter of silicon bipolar transistors from 77 to 400 K 1636

S. Drápal and J. Hampl: Anomalies in Schottky diode I–V characteristics induced by annealing 1639

P. Chattopadhyay: High frequency capacitance–voltage characteristics of MOS tunnel diodes in presence of interface states and fixed oxide charges 1641

K. L. Yip, H. Wong and Y. C. Cheng: Theoretical analysis of threshold voltage behaviors of N-channel JMOSFET 1645

Letter to the Editors

K. Somogyi: Comments on "Measurement of the resistance of metal–semiconductor–metal structures using the geometrical magnetoresistance technique" 1651

Software Survey Section I

NUMBER 12

Announcement iii

Editors' Biographies v

J. L. EGLEY and D. CHIDAMBARRAO: Strain effects on device characteristics: implementation in drift-diffusion simulators 1653

J. H. ZHAO, R. HWANG and S. CHANG: On the characterization of surface states and deep traps in GaAs MESFETs 1665

Y. KONISHI, S. T. ALLEN, M. REDDY, M. J. W. RODWELL, R. P. SMITH and J. LIU: AlAs/GaAs Schottky-collector resonant-tunnel-diodes 1673

S. NOOR MOHAMMAD, ANDREW V. BEMIS, RONALD L. CARTER and ROBERT B. RENBECK: Temperature, electric field, and doping dependent mobilities of electrons and holes in semiconductors 1677

C. HEINZ: Diffusion from zinc-doped spin-on sources into *N*-gallium antimonide 1685

YAXI ZHANG and M. EL NOKALI: A hydrodynamic transport model and its applications in semiconductor device simulation 1689

H. L. GRUBIN, T. R. GOVINDAN, J. P. KRESKOVSKY and M. A. STROSCIO: Transport via the Liouville equation and moments of quantum distribution functions 1697

E. ATANASSOVA and T. DIMITROVA: Electrical studies of the reactions between ethanol vapours and inversion mode Si-thin SiO_2 structures 1711

COLIN C. MCANDREW, PAUL A. LAYMAN and ROBERT A. ASHTON: MOSFET effective channel width determination by nonlinear optimization 1717

SHYE LIN WU, CHUNG LEN LEE and TAN FU LEI: Thin oxide grown on heavily channel-implanted substrate by using a low temperature wafer loading and N_2 pre-annealing process 1725

ALI ERSEN, ITZHAK SCHNITZER, ELI YABLONOVITCH and TOM GMITTER: Direct bonding of GaAs films on silicon circuits by epitaxial liftoff 1731

N. T. BAGRAEV, L. E. KLYACHKIN and V. L. SUKHANOV: Low temperature impurity diffusion in SiC: planar quantum-size *p–n* junctions and *n–p–n* transistor structures... 1741

G. ASHKINAZI, TZ. HADAS, B. MEYLER, M. NATHAN, L. ZOLOTAREVSKI and O. ZOLOTAREVSKI: Process and device characterization of high voltage gallium arsenide *P–i–N* layers grown by an improved liquid phase epitaxy method 1749

J. B. KUO, M. C. TANG and J. H. SIM: Modeling the effect of back gate bias on the subthreshold behavior of a SiGe-channel SOI PMOS device 1757

J. POORTMANS, S. C. JAIN, D. H. J. TOTTERDELL, M. CAYMAX, J. F. NIJS, R. P. MERTENS and R. VAN OVERSTRAETEN: Theoretical calculation and experimental evidence of the real and apparent bandgap narrowing due to heavy doping in *p*-type Si and strained $Si_{1-x}Ge_x$ layers 1763

Y. K. Su, H. Kuan and P. H. Chang: Investigation of Se-doped GaSb epilayers grown by low pressure metal–organic chemical vapor deposition 1773

Y. K. Su, Y. Z. Juang, S. C. Shei and B. C. Fang: A study of selective and nonselective reactive ion etching of GaAs/AlGaAs materials 1779

Notes

William Liu: The temperature and current profiles in an emitter finger as a function of the finger length 1787

J. Racko, D. Donoval, M. Bedlek, M. Barus, A. Satka and J. Hromcova: New boundary conditions for the simulation of Schottky structure characteristics 1790

G. Ashkinazi, B. Meyler, M. Nathan, L. Zolotarevski and O. Zolotarevski: Breakdown voltage of high-voltage GaAs Schottky diodes 1793

D. K. Roy: A note on the Shukla–Sen drift velocity model for hot charge carriers in Ge and Si 1795

Luigi Abenante: Equivalent analytical solution for the minority carrier transport in doped silicon 1797

Software Survey Section I

Reproduced with the permission of Pergamon Press Inc., by University Microfilms Inc. Duplication or resale without permission is prohibited.